

N 90, Built-in fridge, 177.5 x 56 cm, soft close flat hinge
KI8815OD0



COOKING PASSION SINCE 1877



The built-in fridge with FreshSafe 3 and BottleFlex Shelf keeps food fresher for longer and offers a lot of extra storage options.

- ✓ Door Open Assist – Push-to open mechanism of your fully integrated fridge
- ✓ Home Connect – Add your smart fridge to your home network and stay connected to your kitchen.
- ✓ Fresh Safe 3 Plus 0°C – Climate-controlled drawers for optimal storage of all your fresh foods.
- ✓ Softclose: When it reaches an angle of 20° the door softly closes itself.
- ✓ Flex Cooling - Flexible storing boxes adjust cooling to your daily needs.

Features

Technical Data

Energy Efficiency Class : D
Average annual energy consumption in kilowatt hour per year (kWh/a) : 120 kWh/annum
Sum of volume of frozen compartments : 0 l
Sum of volume of chill compartments : 289 l
Airborne acoustical noise emissions : 36 dB(A) re 1 pW
Airborne acoustical noise emission class : C
Construction type : Built-in
Door panel options : Not possible
Height : 1772 mm
Width of the appliance : 558 mm
Depth of the product : 545 mm
Min. required niche size for installation (HxWxD) : 1775.0 x 560 x 550 mm
Net weight : 71.7 kg
Fuse protection : 10 A
Door hinge : Right reversible
Voltage : 220-240 V
Frequency : 50 Hz
Length of electrical supply cord : 230 cm
Number of compressors : 1
Number of independent cooling systems : 1
Interior ventilator : No
Reversible Door Hinge : Yes
Number of Adjustable Shelves in fridge compartment (Stck) : 5
Shelves for Bottles : Yes
EAN code : 4242004269090
Brand : Neff
Product name / Commercial code : KI8815OD0
Product category : Refrigerator
Frost free system : No
Installation type : Full-integrated
Included accessories : 2 x egg tray, 1 x bottle holder in door tray, 1 x Heavy-duty hinge support



4 242004 269090

N 90, Built-in fridge, 177.5 x 56 cm, soft close flat hinge
KI88150D0



COOKING PASSION SINCE 1877

Features

- Built-in fridge
- Easy Installation

Performance and Consumption

- EU19_EEK_D: D
- Total Volume : 289 l
- Net Fridge Volume : 289 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 120 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 36 dB , EU19_Noise emission class_D: C

Functions

- LED with Soft Start
- Interior design with metal applications

Design features

- Fixed hinge, SoftClose door - dampens door movement, for smooth and effortless closure
- LED Electronic control
- Automatic defrost fridge
- Super Cooling: automatic deactivation
- Acoustic door open warning indicator

Design features

- 7 safety glass shelves of which Non-adjustable bottom shelf, Easy Access shelf
- BottleFlex Shelf
- 1 removable door storage compartments.
- 1 door bins

Freshness System

- Capacity in 0° C section: 83 l
- 1 FreshSafe 3 0°C drawer with humidity control for optimal freshness; food stays fresh for longer due to two climate zones.
- 2 FreshSafe 3 0°C drawers for optimal freshness; food stays fresh for longer due to two climate zones.

Dimension and installation

- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

Key features - Fridge section

- Right hinged door, reversible
- 220 - 240 V

Key features - Freezer section

- A**0031, 1 x bottle holder in door tray, 2 x egg tray

Included accessories

- KS1840Z0, KS1860Z0, KS9E0FZ0, KSGG0MZ0

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features

Dimension and installation


Additional features

- Length of power cord:230 cm

N 90, Built-in fridge, 177.5 x 56 cm, soft close flat hinge
KI88150D0



Dimensioned drawings

measurements in mm
Recommended gap dimensions for flat hinges




F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.



Maximal permissible weight of the unit fronts



Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door Hinges in mm:	undamped hinge, Door in kg:	damped hinge, Door in kg:
1500-1750	22	22

