## **Product information sheet**

## COMMISSION DELEGATED REGULATION (EU) 2019/2014

| Supplier's name or trade mark <sup>(a) (b)</sup> : | Bosch   |
|--|---|
| Supplier's address <sup>(a) (b)</sup> :            | BSH Hausgeräte GmbH, Carl-Wery-Str. 34, 81739 Munich, Germany |
| Model identifier <sup>(a)</sup> :                  | WKD28543GB  |

## General product parameters:

| Parameter  | Value                                       |           | Parameter  | Value             |       |
|--|---|-----------|--|-------------------|-------|
| Rated capacity (kg)  | Rated capa-<br>city <sup>(e)</sup>          | 4.0       | Dimensions in cm <sup>(a) (b)</sup>  | Height            | 82    |
|  | Rated<br>washing<br>capacity <sup>(d)</sup> | 7.0       |  | Width             | 60    |
|  |   |           |  | Depth             | 58    |
| Energy Efficiency Index  | EEIW (d)                                    | 89.8      | - Energy efficiency class  | EEIW (d)          | E (c) |
|  | EEIWD (e)                                   | 81.9      |  | EEIWD (e)         | E (c) |
| Washing efficiency index   | IW <sup>(d)</sup>                           | 1.04<br>0 | Rinsing effectiveness (g/kg dry textile)   | IR <sup>(d)</sup> | 4.9   |
|  | JW (e)                                      | 1.04<br>0 |  | JR <sup>(e)</sup> | 4.9   |
| Energy consumption in kWh<br>per cycle, for the washing<br>cycle of the household wash-<br>er-dryer, using the eco 40-60<br>programme at a combination<br>of full and partial loads. Actual<br>energy consumption will<br>depend on how the appliance<br>is used |   |           | Energy consumption in kWh<br>per cycle, for the wash and dry<br>cycle of the household wash-<br>er-dryer at a combination of<br>full and half loads. Actual<br>energy consumption will<br>depend on how the appliance<br>is used                                     | 2.662             |       |
| Water consumption in litre per<br>cycle, for the eco 40-60 pro-<br>gramme at a combination of<br>full and partial loads. Actual<br>water consumption will<br>depend on how the appliance<br>is used and on the hardness<br>of the water                          | 44  |           | Water consumption in litre per<br>cycle, for the wash and dry<br>cycle of the household wash-<br>er-dryer at a combination of<br>full and half loads. Actual<br>water consumption will<br>depend on how the appliance<br>is used and on the hardness<br>of the water | 68                |       |

| Maximum temperature inside<br>the treated textile (°C) for the<br>washing cycle of the house-<br>hold washer-dryer, using the<br>eco 40-60 programme | Rated capa-<br>city | 42       | Maximum temperature inside<br>the treated textile (°C) for the<br>washing cycle of the house-<br>hold washer-dryer, using the       | Rated capa-<br>city <sup>(e)</sup> | 34        |  |
|--|---------------------|----------|---|------------------------------------|-----------|--|
|  | Half                | 34       |   | Holf                               | 20        |  |
|  | Quarter             | 30       | wash and dry cycle  | Half                               | 30        |  |
|  | Rated capa-<br>city | 1400     |   |                                    |           |  |
|  | Half                | 1400     | Remaining moisture content <sup>(d)</sup> (%)   | 52.0                               |           |  |
|  | Quarter             | 1400     |   |                                    |           |  |
| Eco 40-60 programme dura-<br>tion (h:min)  | Rated capa-<br>city | 2:50     |   | B <sup>(c)</sup>                   |           |  |
|  | Half                | 2:40     | Spin-drying efficiency class <sup>(d)</sup>   |                                    |           |  |
|  | Quarter             | 2:30     |   |                                    |           |  |
| Airborne acoustical noise<br>emissions during the spinning<br>phase for the eco 40-60 wash-  | 72                  |          | wash and dry cycle duration<br>(h:min)  | Rated capa-<br>city                | 5:30      |  |
| ing cycle at rated washing capacity (dB(A) re 1 pW)  |                     |          |   | Half                               | 4:10      |  |
| Туре   | Freestanding        |          | Airborne acoustical noise<br>emission class for the spinning<br>phase for the eco 40-60 pro-<br>gramme at rated washing<br>capacity | A (c)                              |           |  |
| Off-mode (W) (if applicable)   | 0.50                |          | Standby mode (W) (if applic-<br>able)   | 1.00                               |           |  |
| Delay start (W) (if applicable)  | 4.00                |          | Networked standby (W) (if applicable)   | 0.00                               |           |  |
| Minimum duration of the guarantee offered by the supplier <sup>(a) (b)</sup> :   |                     |          |   |                                    | 24 months |  |
| This product has been designed to release silver ions during the washing cycle   |                     |          |   |                                    | No        |  |
| Additional information $^{(a)}$ (b) :  |                     |          |   |                                    |           |  |
| Weblink to the supplier's websit   | e, where the in     | formatio | on in point 9 of Annex II to Regula   | ation (EU) 2019                    | 9/2023    |  |

Weblink to the supplier's website, where the information in point 9 of Annex II to Regulation (EU) 2019/2023 is found  $^{\rm (c)\ (e)}$ : www.bosch-home.com/energylabel

<sup>(a)</sup> this item shall not be considered relevant for the purposes of Article 2(6) of Regulation (EU) 2017/1369.

<sup>(b)</sup> changes to these items shall not be considered relevant for the purposes of paragraph 4 of Article 4 of Regulation (EU) 2017/1369.

<sup>(c)</sup> if the product database automatically generates the definitive content of this cell the supplier shall not enter these data.

<sup>(d)</sup> for the eco 40-60 programme.

<sup>(e)</sup> for the wash and dry cycle.