

# TR93IGR2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

90x60 cm

2

Electric

Induction

Thermo-ventilated

Thermo-ventilated

Vapor Clean

8017709312398

A B



#### **Aesthetics**

Aesthetics

Colour Finishing

Design

Door With frame

**Upstand** Yes

Command panel finish

Control knobs

Hob colour

Enamelled metal Smeg Victoria

Black enamel

Victoria

Gloss

Victoria

Slate Grey

Controls colour Stainless steel

Display

Colour of buttons

No. of controls

Serigraphy colour

Handle

Handle Colour

Glass type

Plinth

Logo

5

Logo position

electronic 5 buttons

Black 9

Black

Smeg Victoria

Brushed stainless steel

Black

Anthracite

assembled 50's

Upstand+ Command panel

## **Programs / Functions**

No. of cooking functions
Traditional cooking functions

()

Static

8

Fan assisted



Circulaire

ECO EC

ECO

₹ (%)

Fan assisted base

**Cleaning functions** 



Vapor Clean

Other functions



Defrost by time



## **Programs / Functions Auxiliary Oven**

Cooking functions cavity 2 Traditional cooking functions, cavity 2



## Programme / Functions Third Oven

No. of functions third oven Oven light

Full grill



1

#### Hob technical features

STOP °C∓

Total no. of cook zones 5

Front left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Rear left - Induction - single - 1.40 kW - - Ø 18.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 27.0 cm

Rear right - Induction - single - 1.40 kW - - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Automatic switch off Yes

when overheat

Minimum pan diameter

indication

Yes Selected zone indicator Yes Automatic pan

detection

### **Main Oven Technical Features**



















No. of lights Fan number 1 Net volume of the cavity 61 litres

Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks

Light type Halogen

Light power 40 W

Cooking time setting Start and Stop Door opening Side opening

Side opening door Yes Removable door Yes

Removable inner door

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Usable cavity space dimensions (HxWxD)

316x460x412 mm

1200 W

Yes

Temperature control

Electro-mechanical

Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W



Full glass inner door Yes Circular heating element 2000 W

- Power

Grill type Electric
Tilting grill Yes

**Options Main Oven** 

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 245 °C

alarm

Second Oven Technical Features

Fan number 1 Removable door Yes
Net volume of the 62 litres Full glass inner door Yes
second cavity Removable inner door Yes

Gross volume, 2nd 69 l No. total door glasses 1 cavity No. thermo-reflective 1

Cavity material Easy clean enamel door glasses

Shelf positions 9 Safety Thermostat Yes

Type of shelves Metal racks Cooling system Tangential

No. of lights 1 Usable cavity space 605x275x370 mm

Light type Halogen dimensions (HxWxD)

Light power 40 W Temperature control Electro-mechanical

Door opening Side opening Circular heating element 2500 W

Side opening door Yes - Power

**Options Auxiliary Oven** 

 $\begin{array}{lll} \mbox{Minimum Temperature} & 50\ ^{\circ}\mbox{C} & \mbox{Maximum temperature} & 245\ ^{\circ}\mbox{C} \end{array}$ 

Third Oven Technical Features

Net volume, 3rd cavity 36 l Removable inner door Yes
Gross volume, 3rd 41 l No. total door glasses 3
cavity No. of thermo-reflective 1

Cavity material Easy clean enamel door glasses

Shelf positions 2 Safety Thermostat Yes

Type of shelves Metal racks Cooling system Tangential

No. of lights 1 Usable cavity space 169x440x443 mm Light type Halogen dimensions (HxWxD)

Light power 40 W Temperature control Electro-mechanical

Door opening Flan down Large grill - Power 2700 W

Door openingFlap downLarge grill - Power2700 WRemovable doorYesGrill typeElectricFull glass inner doorYesTilting grillYes



## **Options Third Oven**

Minimum Temperature 50 °C Maximum temperature 260 °C

#### Accessories included for Main Oven & Hob

Rack with back and side 2 Grill mesh 1 Stop Telescopic Guide rails, 1

40mm deep tray 1 partial Extraction

## Accessories included for Secondary Oven

Chrome shelf with back 4 Plate rack/warmer 1 stop

Accessories included for Third Oven

Rack with back and side 1 40mm deep tray 1

stop

#### **Electrical Connection**

Nominal power 15000 W Power supply cable 150 cm

Current 42 A length

Voltage 220-240 V Type of electric cable Yes, Double and Three Phase


Voltage 2 (V) 380-415 V

Type of electric cable installed

Yes, Single phase Frequency 50 Hz

Terminal block 5 poles







#### Not included accessories

#### **KIT600TR93**



Cover strip for hob back side, suitable for TR93 Victoria cookers

KITP65TR93

Depth extension kit (650 mm), suitable for TR93 cookers



SFLK1

Child lock



**GTP** 

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



**PRTX** 

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



**GRILLPLATE** 

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black



BN620-1

Enamelled tray, 20mm deep



**SCRP** 

Induction and ceramic hobs and teppanyaki scraper



**KITH93** 

Height extension kit (950 mm), suitable for TR93 cookers



GT1P-2

Partially extractable telescopic quides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



**TPKPLATE** 

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



**PALPZ** 

Pizza shovel with fold away handle width: 315mm length: 325mm



**GTT** 

\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished



**BN640** 

Enamelled tray, 40mm deep



**SMOLD** 



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



## Symbols glossary



A: Product drying performance, measured from A+++ to D / G depending on the product family



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Light



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Warming up: An option for dish warming and keeping the prepared meals hot.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.





Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.

