

Optional accessories

Z943SE0 Set of 2 pots and 1 pan

Standalone electric cooktop with sword knobs

 $\sqrt{60}$ cm: space for 4 pots or pans.

 $\sqrt{\text{Cooking zone front left: 145 mm, 1.2 KW}}$

√ Cooking zone rear left: 210 mm, 2.2 KW

 $\sqrt{}$ Cooking zone rear right: 145 mm , 1.2 KW

 $\sqrt{}$ Cooking zone front right: 180 mm, 2 KW

Features

Technical Data

Product name/family: Cooking zone ceramic

Construction type : Built-in Energy input : Electric

Total number of positions that can be used at the same time : 4 Min. required niche size for installation (HxWxD) : $46 \times 560-560 \times 10^{-2}$

490-500 mm

Width of the appliance : 592 $\,$ mm $\,$ Dimensions : 46 x 592 x 522 $\,$ mm $\,$

Dimensions of the packed product (HxWxD) : $100 \times 750 \times 590$ mm

Net weight : 7.5 kg Gross weight : 8.3 kg

Residual heat indicator : Separate Location of control panel : Hob lateral Basic surface material : Ceramic Color of surface : Black EAN code : 4242004271840

Voltage: 220-240 V





Feature

• 60 cm: space for 4 pots or pans.

Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 210 mm, 2.2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 180 mm, 2 KW

Usage convenience

- Sword knob: control the power with mounted dials.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.

Design

• Frameless

Safety


• residual heat indicator for each cooking zone: indicates which cooking zones are still hot.

Installation

- \bullet Dimensions of the product (HxWxD mm): 46 x 592 x 522
- Required niche size for installation (HxWxD mm) : 46 x 560 x (490 500)
- Min. worktop thickness: 16 mm
- Connected load: 6.6 KW







- A: Minimum distance from the hob cut-out to the wall.
 B: Recessed depth
 C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.