

CPF120IGMPR

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 120x60 cm 2 ELECTRICITY Mixed Thermo-ventilated Thermo-ventilated Pyrolitic 8017709286095 A+ A




Aesthetics

_

DIGI			
Aesthetic	Portofino	No. of controls	11
Colour	Red	Serigraphy colour	Black
Design	Flush fit	Handle	Smeg Portofino
Door	With frame	Handle Colour	coloured
Upstand	Yes	Glass type	Black
Type of pan stands	Cast Iron	Plinth	Black
Hob colour	Stainless steel	Storage compartment	Drawer
Command panel finish	Enamelled metal	Sliding compartment	Yes
Control knobs	Smeg Portofino	Logo	Assembled st/steel
Controls colour	Stainless steel	Logo position	Facia below the oven
Display	DigiScreen		

Programme / Functions






Cleaning functions



Pyrolytic

Programs / Functions Auxiliary Oven



Hob technical features



Total no. of cook zones 6				
Centrale sinistra - Gas - 2UR (dual) - 4.20 kW				
Front centre - Gas - Semi R	apid - 1.80 kW			
Rear centre - Gas - Rapid -	3.00 kW			
Front right - Induction - mu	tizone - 2.10 kW - Booster 2.	30 kW - 21.1x19.1 cm		
Rear right - Induction - mul	tizone - 1.60 kW - Booster 1.8	85 kW - 21.0x19.0 cm		
Central - Teppanyaki - 1.40	0 kW			
Type of gas burners	Standard	Automatic pan	Yes	
Automatic electronic	Yes	detection		
ignition		Minimum pan diameter	Yes	
Burner caps	Matt black enamelled	indication		
Automatic switch off	Yes	Selected zone indicator	Yes	
when overheat		Residual heat indicator	Yes	

Main Oven Technical Features



SMEG SPA



Gross volume, 1st cavity Cavity material	Ever Clean enamel	No.of thermo-reflective door glasses	3
No. of shelves Type of shelves Light type Light Power Cooking time setting Light when oven door is open Door opening	5 Metal racks Halogen 40 W Start and Stop Yes Flap down	Safety Thermostat Heating suspended when door is opened Cooling system Door Lock During Pyrolisis Usable cavity space dimensions (HxWxD)	Yes Yes Tangential Yes 360X460X425mm
Removable door Full glass inner door Removable inner door	Yes Yes Yes	Temperature control Lower heating element power Upper heating element - Power	Electro-mechanical 1200 W 1000 W
		Grill elememt Large grill - Power Circular heating element - Power Grill type Soft Close system	1700 W 2700 W 2000 W Electric Yes

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	280 °C
alarm			

Second Oven Technical Features

sin 🗵 📑 💞 💭			
Net volume of the second cavity	63 I	No. thermo-reflective door glasses	2
Gross volume, 2nd	791	Safety Thermostat	Yes
cavity		Heating suspended	Yes
Cavity material	Ever Clean enamel	when door is opened	
No. of shelves	5	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	360X460X425 mm
No. of lights	2	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light Power	40 W	Lower heating element -	1200 W
Cooking time setting	Start and Stop	power	
Light when oven door is	Yes	Upper heating element -	1000 W
open		Power	
Door opening	Flap down	Grill alamant nowar	1700 W
Removable door	Yes	Grill element - power	
Full glass inner door	Yes	Large grill - Power	2700 W
Removable inner door	Yes	Circular heating element - Power	2000 W
No. total door glasses	3		F 1 ()
ite. total abor glasses	5	Grill type	Electric
		Tilting grill	Yes



Soft Close system

Yes

Options Auxiliary Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C
alarm			

Accessories included for Main Oven & Hob

Rack with back and side	e 1	Grill mesh	1
stop		Telescopic Guide rails,	1
20mm deep tray	1	total Extraction	
40mm deep tray	1	Meat Probe	1


Accessories included for Secondary Oven

Rack with back and side	1	Grill mesh	1
stop		Telescopic Guide rails,	1
20mm deep tray	1	total Extraction	
40mm deep tray	1		

Electrical Connection

Plug Electrical connection rating Current	Not present 10900 W 32 A	Installed electric cable Cable testing Additional connection modalities	Yes, Single phase Yes, Single phase Yes, Double and Three Phase
Voltage	220-240 V	Frequency	50/60 Hz
Voltage 2 (V)	380-415 V	Terminal block	5 poles







Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



SFLK1 Child lock



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

KITP65CPF120

Depth extension kit (650mm), black, suitable for 120cm Portofino cookers



Cast iron WOK Support

WOKGHU

KIT1CPF120X

Splashback, 120cm, stainless steel, suitable for Portofino cookers



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

KITH95CPF120



Height extension kit (950 mm), suitable for 120cm Portofino cookers (940-960mm)



BGTR4110

Cast iron grill plate suitable for Victoria Cookers TR4110

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

BN640



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



Alternative products



CPF120IGMPX

Colour: Stainless steel



CPF120IGMPBL Colour: Black



CPF120IGMPWH

Colour: White



CPF120IGMPT Colour: Turquese

-ss-smeg

Symbols glossary (TT)

Ō	Automatic merge of zones for a bigger area	**	Heavy duty cast iron pan stands: for maximum stability and strength.
	Air cooling system: to ensure a safe surface temperatures.	DIRECT	A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function
DIGI	4.3 inch display with LED technology, usability with knobs + 3 touch keys	3	Triple glazed doors: Number of glazed doors.
4	Quadruple glazed: Number of glazed doors.		ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
Α.	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.	A	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking	(%)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
(%)	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.	()	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment

•ss•smeg

$\widehat{}$	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	***	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
(%) (%)	Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.		Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.
®3	Circulaire pulsed steam: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
20: 10:	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
Þ	PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 ° C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.	14	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
<u>.5</u>	The oven cavity has 5 different cooking levels.	D	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	ŝ,	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
¢	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

•se•smeg



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Soft close

The door is equipped with a specific system for silent closing

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Direct Steam

Steam is generated from water placed in a dedicated basin at the bottom of the cavity

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)