


Series 6, Gas hob, 75 cm, Stainless steel PCQ7A5I90



HEZ298105 Simmer plate HEZ298107 Wok ring HEZ298114 Small pot supp

HEZ298114 Small pot support HEZ32WA00 Wireless food thermometer

HEZ9SE040 4 pieces Set HEZ9SE060 6 pieces Set

The gas hob with precise flame control and easy cleaning thanks to detachable metallic knobs and dishwasher suitable cast iron pan supports.

- Flame Select: Enjoy precise control of the flame.
- Easy cleaning: detachable dials and dishwasher-suitable pan supports make cleaning a breeze.
- Continuous cast-iron pan support: for high firmness and stability of cookware.
- Wok burner: quick boiling or precise simmering.
- Dual flame power burner delivers two heat options, from full power heat-up to delicately low simmer.

Appliance type:	Built-in Gas 5
Width of the appliance:	750 mm
Dimensions:	51.5x750x520 mm
Dimensions of the packed product (HxV	VxD): 150 x 800 x 600 mm
Net weight:	14.2 kg
Gross weight:	16.1 kg
Residual heat indicator:	Separate
Location of control panel:	Front
Basic surface material:	Stainless steel
Color of surface:	Stainless steel
Length electrical supply cord:	100.0 cm
EAN code:	4242005437849
Gas connection rating:	11500 W
Fuse protection:	A 8
Voltage:	220-240 V
Frequency:	50; 60 Hz





Series 6, Gas hob, 75 cm, Stainless steel PCQ7A5I90

The gas hob with precise flame control and easy cleaning thanks to detachable metallic knobs and dishwasher suitable cast iron pan supports.

Design

- Stainless steel surface
- Cast iron pan supports
- full metal

Usage convenience

- FlameSelect: precisely control and adjust the flame in nine defined levels.
- Design co-ordinated control dials, front: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the

Burners and power

- 5 gas burners:
- Left front: economy burner up to 1 kW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Center front: wok burner up to 4 KW (depending on gas type)
- Right rear: high-speed burner up to 3 KW (depending on gas type)
- Right front: standard burner up to 1.75 KW (depending on gas type)

Cleaning

- Removable control dials for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Pre-set for natural gas
- Nozzle set for LPG jets included. Connection to 28-30/37 mbar bottled gas. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): $51.5 \times 750 \times 520$
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 490)
- Min. worktop thickness: 20 mm
- Power cord: 1 m
- Connected load: 11.5 KW



Series 6, Gas hob, 75 cm, Stainless steel PCQ7A5I90

