


iQ700, Induction hob, 60 cm, Black EX651FEC1E









Optional accessories

HZ9SE030 Set of 2 pots and 1 pan

HZ390522 Griddle Plate HZ390512 Teppan Yaki (large)

HZ390012 Steaming Rack for Stainless Steel roaste
HZ390011 Stainless Steel roaster with glas lid

Siemens flexInduction cooktop is designed for greater flexibility when cooking

- ✓ flexInduction Smart cooking zone that adapts to your cookware.
- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ fryingSensor Avoids scorching by keeping your pan temperature constant
- ✓ powerBoost Increases the power of an induction zone by up to 50%.
- ✓ Timer with cooking zone shut-off function

Feature

Technical Data

Product name/family: Cooking zone ceramic

Construction type : Built-in Energy input : Electric

Total number of positions that can be used at the same time : 4 Required niche size for installation (HxWxD) : $51 \times 560-560 \times 490-500$

mm

Width of the appliance : 592 mm Dimensions : 51 x 592 x 522 mm

Dimensions of the packed product (HxWxD): 126 x 753 x 603 mm

Net weight : 13.499 kg Gross weight : 14.6 kg

Residual heat indicator : Separate Location of control panel : Hob front Basic surface material : Ceramic Color of surface : Black

Approval certificates : AENOR, CE Length of electrical supply cord : 110 cm

EAN code: 4242003716786 Electrical connection rating: 7400 W

Voltage: 220-240 V Frequency: 50; 60 Hz





iQ700, Induction hob, 60 cm, Black EX651FEC1E

Feature:

Design

- 3 sided bevelled frameless finish
- 60 cm: space for 4 pots or pans.

Flexibility of cooking zones

- flexInduction zone: use cookware of any shape or size anywhere within the 40cm long zone.
- Cooking zone front left: 240 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 240 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 145 mm , 1.4 KW (max power 2.2 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

Usage convenience

- touchSlider control: directly control the power with the imprinted touch bar.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Timer for all zones
- : switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Acoustic signal
- : an alarm sounds at the end of the time set (e.g. for pasta).

Time saving & efficiency

- Power boost setting
- : boil water faster thanks to 50% more energy than at the highest standard level
- quickStart function: when switching on, the hob automatically selects the cooking zone with cookware (when placed on a zone whilst the hob is off).
- reStart function: in case of unintentional switch-off, this feature restores all previous settings by switching on the hob again within 4 seconds.

Cooking assistance

 fryingSensor with 4 temperature settings: prevents overcooking with the automatic temperature regulation of the integrated sensor.

Safety

- 2 stage residual heat indicators: indicates which cooking zones are still hot or warm.
- Control panel lock: prevent unintended activation of the hob.
- Control panel pause: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Automatic safety switch off: for safety reasons, heating stops after a preset time if not used (possible to customise).
- Energy Consumption Display: shows the electricity consumption of the last cooking process.

Installation

- Dimensions of the product (HxWxD mm): 51 x 592 x 522
- Required niche size for installation (HxWxD mm) : 51 x 560 x (490 500)
- Min. worktop thickness: 16 mm

- Connected load: 7.4 KW
- Connection current management (20, 16, 13, 10 Amps options): limit the maximum power if needed (depends on fuse protection of electric installation).
- Power cord: 1.1 m, Cable included in packaging



iQ700, Induction hob, 60 cm, Black EX651FEC1E

