



N 90, Induction hob, 90 cm, Black  
T59TF6RNO



COOKING PASSION SINCE 1877



#### FlexInduction Hob with TFT touch-display.

- ✓ TFT Display – Vivid images help you find your functions with ease.
- ✓ Flex Induction – Your hob detects and heats your individual cookware.
- ✓ Cooking Assistant – Knows the right temperature for your dish.
- ✓ Power Move – Just slide your cookware to adjust the temperature.
- ✓ Power Transfer – when you reposition a pot, your settings automatically follow the cookware.

#### Features

##### Technical Data

Product name/family : Cooking zone ceramic  
Construction type : Built-in  
Energy input : Electric  
Total number of positions that can be used at the same time : 5  
Required niche size for installation (HxWxD) : 51 x 880-880 x 490-500 mm  
Width of the appliance : 918 mm  
Dimensions : 51 x 918 x 546 mm  
Dimensions of the packed product (HxWxD) : 126 x 1073 x 608 mm  
Net weight : 20.753 kg  
Gross weight : 22.5 kg  
Residual heat indicator : Separate  
Location of control panel : Hob front  
Color of surface : Black, Stainless steel  
Color of frame : Stainless steel  
Approval certificates : AENOR, CE  
Length of electrical supply cord : 110 cm  
EAN code : 4242004211464  
Electrical connection rating : 11100 W  
Voltage : 220-240 V  
Frequency : 60; 50 Hz



4 242004 211464

#### Optional accessories

|         |                                          |
|---------|------------------------------------------|
| Z9410X1 | Stainless Steel roaster with glas lid    |
| Z9415X1 | Steaming Rack for Stainless Steel roaste |
| Z9416X2 | Griddle Plate                            |
| Z9417X2 | Teppan Yaki (large)                      |
| Z943SE0 | Set of 2 pots and 1 pan                  |
| Z9914X0 | Connecting strip                         |

## Features

### Design

- Ceramic glass on stainless steel trim
- 90 cm: space for 5 pots or pans.

### Flexibility of cooking zones

- 3 Flex Induction zones: use cookware of any shape or size anywhere within the 40cm long zone.
- Cooking zone front left: 240 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 240 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone middle: 300 mm, 240 mm, 2.6 KW (max. power 3.7 KW)
- Cooking zone rear right: 240 mm, 200 mm, 2.2 KW (max power 3.7 KW)
- Cooking zone front right: 240 mm, 200 mm, 2.2 KW (max. power 3.7 KW)

### Usage convenience

- FullTouch TFT Display: easily operate the hob using the touch display and explore all available functions thanks to full-text information and images.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function: keep dishes warm at preset low power level.
- Timer with automatic shut off for all zones  
: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- LED timer for each zone with switch off function and acoustic signal  
: an alarm sounds at the end of the time set (e.g. for pasta).
- Count up timer  
: shows how much time has passed since starting the timer (e.g. for potatoes).

### Time saving & efficiency

- Power Boost function for all zones  
: boil water faster thanks to 50% more energy than at the highest standard level.
- PanBoost: heat up pans faster than at the highest standard level while protecting the pan coating.
- PowerMove with 3 levels: increase or decrease the power level simply by moving the pot forwards or backwards.
- PowerTransfer: when moving a pot to a different cooking zone, this feature transfers all previous settings to the new zone at the touch of a button.
- QuickStart function: when switching on, the hob automatically selects the cooking zone with cookware (when placed on a zone whilst the hob is off).
- ReStart function: in case of unintentional switch-off, this feature restores all previous settings by switching on the hob again within 4 seconds.

### Cooking assistance

- Dish categories - Use TFT Control to assist in cooking dishes to perfection: easily find the right temperature setting for a certain dish in the touch display.
- 5 frying levels: prevents overcooking with the automatic temperature regulation of the integrated sensor.

### Connectivity

- Home Connect with Remote Monitoring: check if the hob is switched off even when not at home, and find recipes or additional functions in the Home Connect app.
- Hob Hood Control - hood control (with Wi-Fi enabled hood): automatically activates the hood when cooking, thanks to the WiFi connection of hob and suitable hood.

### Safety

- 2 stage residual heat indicators: indicates which cooking zones are still hot or warm.
- Control panel lock: prevent unintended activation of the hob.
- Control panel suspension: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Safety cut out facility: for safety reasons, heating stops after a preset time if not used (possible to customise).
- Energy consumption display: shows the electricity consumption of the last cooking process.

*N 90, Induction hob, 90 cm, Black*  
*T59TF6RN0*



COOKING PASSION SINCE 1877

#### Features

##### Installation


- Dimensions of the product (HxWxD mm): 51 x 918 x 546
- Required niche size for installation (HxWxD mm) : 51 x 880 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 11.1 KW
- Power cord: 1.1 m, Cable included in packaging

N 90, Induction hob, 90 cm, Black  
T59TF6RN0




COOKING PASSION SINCE 1877


Dimensioned drawings



Measurements in mm



Measurements in mm



①  
Ventilation gap must be present.

Measurements in mm

